## SKSRT360SIS

# 36-INCH DUAL-FUEL PRO RANGETOP WITH SOUS VIDE AND INDUCTION







#### **BUILT-IN SOUS VIDE**

The industry's first built-in sous vide delivering the ultimate in precision cooking, right on the cooktop. Get professional-style results every time and capture the full, true flavor of foods.

## **POWER-UP OR SIMMER DOWN**

The Ultra-High™ Burner delivers 18K BTUs of pure cooking power for better searing and quick stir frying. The Ultra-Low™ Burner simmers down to maintain temperatures as low as 100° to prepare delicate sauces and sugary confections.

## **TWO-ZONE INDUCTION**

When the recipe calls for instant temperatures and precision control, two induction zones meet the culinary need. The zones can be combined for use with a griddle, teppanyaki plate or large cookware.

#### **BUILT-IN WOK GRATE**

The front burner grate is convertible for round-bottom wok cooking. Stir fry at home with professional-style results.

## Innovation

| Wi-Fi Enabled for ThinQ°<br>Control with iPhone / Android App | Yes |
|---------------------------------------------------------------|-----|
| Remote Monitoring                                             | Yes |
| Sous Vide Cooking                                             | Yes |

## **Cooktop Features**

| Number of Burners / Elements               |     |
|--------------------------------------------|-----|
| Sous Vide + 2 Burners + 2 Zone Induction   | ı   |
| Continuous Grates                          | 1   |
| Wok Convertible Grate<br>(On Front Burner) | Yes |
| Heating Element "ON" Indicator Light       | Yes |
| LED Power Level Display                    | Yes |

## **Cooktop Performance**

| 310 – 15,000 |
|--------------|
| 310 – 15,000 |
|              |
| 650 – 18,000 |
|              |
| 2,000/3,650  |
| 2,000/3,650  |
| 3,650        |
| 800W         |
|              |

© 2024 Signature Kitchen Suite. All rights reserved. Design, features and specifications are subject to change without notice. Specifications are for planning purposes only. Consult the product's installation instructions for final dimensional data and other details prior to making cutouts or custom panels. Consult with a heating and ventilation engineer for your specific ventilation requirements. Non-metric weights and measurements are approximate. Smart features require Internet access.

1-855-790-6655 | www.signaturekitchensuite.com

# SKSRT360SIS

# 36-INCH DUAL-FUEL PRO RANGETOP WITH SOUS VIDE AND INDUCTION



## **Controls**

Knob Cooktop Controls w/LED Display Yes

# Warranty Summary\*

Limited Warranty, Parts & Labor 3 Years

## **Cooktop / General Features**

| Sealed Gas Burners (Brass)  | Yes             |
|-----------------------------|-----------------|
| Surface Material            | Black Porcelain |
| Stainless Steel Side Panels | Yes             |

## **Natural Gas or LP**

Gas Rangetops are shipped by the factory to operate on natural gas. If the location / job site requires conversion from natural gas to propane (LP), utilize the included LP kit. Conversion must be done by a qualified installer or service technician.

## **Technical Specs**

| Energy Source              | Natural Gas and<br>Electric  |
|----------------------------|------------------------------|
| Alternative Energy Source  | LP Gas and<br>Electric       |
| LP Conversion Kit Included | Yes                          |
| KW & Amp Rating at 240V    | 4.7 kW                       |
| Required Power Supply      | 240 / 208V,<br>60 Hz, 30 Amp |

## **Dimensions and Weight**

| Overall Width (inches)                   | 35 7/8"   |
|------------------------------------------|-----------|
| Overall Height Including Grates (inches) | 8 15/16"  |
| Overall Depth Including Knobs (inches)   | 28 15/16" |
| Overall Depth without Knobs (inches)     | 26 3/4"   |
| Net Weight (approx.)                     | 150 lbs.  |
| Shipping Weight (approx.)                | 217 lbs.  |

## **Accessories**

Included Accessories

Wok Grate, Sous Vide Bath, Sous Vide Rack


<sup>\*</sup>These warranties give you specific legal rights and you may have other rights that vary from state to state. For complete warranty details, refer to your Use & Care manual.

## SKSRT360SIS

# 36-INCH DUAL-FUEL PRO RANGETOP WITH SOUS VIDE AND INDUCTION




## **CUTOUT DIMENSIONS**



<sup>†</sup>As defined in the "National Fuel Gas Code" (ANSI Z223.1, Current Edition). Clearances from non-combustiblematerials are not part of the ANSI Z21.1 scope and are not certified by CSA. Clearances of less than 12" (305 mm) must be approved by the local codes and/or by the local authority having jurisdiction.

NOTE: Shaded area above countertop indicates minimum clearance to combustible surfaces, combustible materials cannot be located within this area. For island installation, 12" (305 mm) minimum clearance from back of rangetop.

## **OVERALL PRODUCT DIMENSIONS**



**Important Installation Information:** Rangetops use a single phase, four-wire cable, 120/240 volt, 60 hertz, AC-only electrical supply with ground.

